



**General
Mills**

**Making Food
People Love**

210 Motor Carrier Freight Details and Invoice

X12/V4010/210: 210 Motor Carrier Freight Details and Invoice

Company:

General Mills

Modified:

1/11/2018

Notes:

**This Spec is used for
Invoicing General Mills
TRUCKLOAD, LTL, and
INTERMODAL Shipments only**

Table of Contents

210	Motor Carrier Freight Details and Invoice	1
ISA	Interchange Control Header	3
GS	Functional Group Header	5
ST	Transaction Set Header	7
B3	Beginning Segment for Carrier's Invoice	8
C3	Currency	10
N9	Reference Identification	11
G62	Date/Time	12
0100	Loop Name	13
N1	Name	14
N3	Address Information	15
N4	Geographic Location	16
0200	Loop Equipment Details	17
N7	Equipment Details	18
M7	Seal Numbers	19
0300	Loop Stop Off Details	20
S5	Stop Off Details	21
0310	Loop Name	22
N1	Name	23
N3	Address Information	24
N4	Geographic Location	25
0400	Loop Assigned Number	26
LX	Assigned Number	27
N9	Reference Identification	28
L0	Line Item - Quantity and Weight	29
L1	Rate and Charges	31
L3	Total Weight and Charges	35
SE	Transaction Set Trailer	36
GE	Functional Group Trailer	37
IEA	Interchange Control Trailer	38

210 Motor Carrier Freight Details and Invoice

Functional Group=IM

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Motor Carrier Freight Details and Invoice Transaction Set (210) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to provide detail information for charges for services rendered by a motor carrier. It is used both as a motor carrier invoice to request payment or as details pertaining to motor freight shipment(s) charges.

Not Defined:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	ISA	Interchange Control Header	M	1			Must use
	GS	Functional Group Header	M	1			Must use

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	ST	Transaction Set Header	M	1			Must use
020	B3	Beginning Segment for Carrier's Invoice	M	1			Must use
040	C3	Currency	O	1			Used
060	N9	Reference Identification	O	300			Must use
070	G62	Date/Time	O	6			Must use

<u>LOOP ID - 0100</u>					<u>10</u>		
110	N1	Name	O	1			Must use
130	N3	Address Information	O	2			Must use
140	N4	Geographic Location	O	1			Must use

<u>LOOP ID - 0200</u>					<u>10</u>		
160	N7	Equipment Details	O	1			Must use
170	M7	Seal Numbers	O	2			Used

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
<u>LOOP ID - 0300</u>					<u>999</u>	<u>N2/010L</u>	
010	S5	Stop Off Details	O	1		N2/010	Used
<u>LOOP ID - 0310</u>					<u>2</u>		
050	N1	Name	O	1			Used
070	N3	Address Information	O	2			Used
080	N4	Geographic Location	O	1			Used

<u>LOOP ID - 0400</u>					<u>9999</u>		
120	LX	Assigned Number	O	1			Must use
130	N9	Reference Identification	O	5			Used
170	L0	Line Item - Quantity and Weight	O	10			Must use
180	L1	Rate and Charges	O	10			Must use

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
010	L3	Total Weight and Charges	O	1			Used
020	SE	Transaction Set Trailer	M	1			Must use

Not Defined:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	GE	Functional Group Trailer	M	1			Must use

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	IEA	Interchange Control Trailer	M	1			Must use

Notes:

- 2/010L Loops 0300, 0305, 0310 and 0320 shall only be used to identify all stop-off locations and associated data for loading and unloading of freight with the exception of the original stop-off location (shipper) for truckload carriers. The original stop-off location (shipper) shall be transmitted in loop 0100.
- 2/010 Loops 0300, 0305, 0310 and 0320 shall only be used to identify all stop-off locations and associated data for loading and unloading of freight with the exception of the original stop-off location (shipper) for truckload carriers. The original stop-off location (shipper) shall be transmitted in loop 0100.

ISA Interchange Control Header

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 16

User Option (Usage): Must use

Purpose: To start and identify an interchange of zero or more functional groups and interchange-related control segments

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>				
ISA01	I01	Authorization Information Qualifier	M	ID	2/2	Must use				
<p>Description: Code to identify the type of information in the Authorization Information All valid standard codes are used. (Total Codes: 7)</p>										
ISA02	I02	Authorization Information	M	AN	10/10	Must use				
<p>Description: Information used for additional identification or authorization of the interchange sender or the data in the interchange; the type of information is set by the Authorization Information Qualifier (I01)</p>										
ISA03	I03	Security Information Qualifier	M	ID	2/2	Must use				
<p>Description: Code to identify the type of information in the Security Information All valid standard codes are used. (Total Codes: 2)</p>										
ISA04	I04	Security Information	M	AN	10/10	Must use				
<p>Description: This is used for identifying the security information about the interchange sender or the data in the interchange; the type of information is set by the Security Information Qualifier (I03)</p>										
ISA05	I05	Interchange ID Qualifier	M	ID	2/2	Must use				
<p>Description: Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified All valid standard codes are used. (Total Codes: 38)</p>										
ISA06	I06	Interchange Sender ID	M	AN	15/15	Must use				
<p>Description: Identification code published by the sender for other parties to use as the receiver ID to route data to them; the sender always codes this value in the sender ID element</p>										
ISA07	I05	Interchange ID Qualifier	M	ID	2/2	Must use				
<p>Description: Qualifier to designate the system/method of code structure used to designate the sender or receiver ID element being qualified</p> <p>CodeList Summary (Total Codes: 38, Included: 1)</p> <table border="1"> <thead> <tr> <th><u>Code</u></th> <th><u>Name</u></th> </tr> </thead> <tbody> <tr> <td>08</td> <td>UCC EDI Communications ID (Comm ID)</td> </tr> </tbody> </table>							<u>Code</u>	<u>Name</u>	08	UCC EDI Communications ID (Comm ID)
<u>Code</u>	<u>Name</u>									
08	UCC EDI Communications ID (Comm ID)									
ISA08	I07	Interchange Receiver ID	M	AN	15/15	Must use				
<p>Description: Identification code published by the receiver of the data; When sending, it is used by the sender as their sending ID, thus other parties sending to them will use this as a receiving ID to route data to them</p> <p>General Mills Note: <i>General Mills ID = 9251190000</i></p>										
ISA09	I08	Interchange Date	M	DT	6/6	Must use				
<p>Description: Date of the interchange</p>										
ISA10	I09	Interchange Time	M	TM	4/4	Must use				
<p>Description: Time of the interchange</p>										
ISA11	I10	Interchange Control Standards Identifier	M	ID	1/1	Must use				

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
		<p>Description: Code to identify the agency responsible for the control standard used by the message that is enclosed by the interchange header and trailer All valid standard codes are used. (Total Codes: 1)</p>				
ISA12	I11	Interchange Control Version Number	M	ID	5/5	Must use
		<p>Description: Code specifying the version number of the interchange control segments CodeList Summary (Total Codes: 14, Included: 1) <u>Code</u> <u>Name</u> 00401 Draft Standards for Trial Use Approved for Publication by ASC X12 Procedures Review Board through October 1997</p>				
ISA13	I12	Interchange Control Number	M	N0	9/9	Must use
		<p>Description: A control number assigned by the interchange sender</p>				
ISA14	I13	Acknowledgment Requested	M	ID	1/1	Must use
		<p>Description: Code sent by the sender to request an interchange acknowledgment (TA1) All valid standard codes are used. (Total Codes: 2)</p>				
ISA15	I14	Usage Indicator	M	ID	1/1	Must use
		<p>Description: Code to indicate whether data enclosed by this interchange envelope is test, production or information CodeList Summary (Total Codes: 3, Included: 1) <u>Code</u> <u>Name</u> P Production Data</p>				
ISA16	I15	Component Element Separator	M		1/1	Must use
		<p>Description: Type is not applicable; the component element separator is a delimiter and not a data element; this field provides the delimiter used to separate component data elements within a composite data structure; this value must be different than the data element separator and the segment terminator</p>				

GS Functional Group Header

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 8

User Option (Usage): Must use

Purpose: To indicate the beginning of a functional group and to provide control information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GS01	479	Functional Identifier Code	M	ID	2/2	Must use

Description: Code identifying a group of application related transaction sets

CodeList Summary (Total Codes: 240, Included: 1)

Code Name

IM Motor Carrier Freight Details and Invoice (210, 980)

GS02	142	Application Sender's Code	M	AN	2/15	Must use
------	-----	----------------------------------	---	----	------	----------

Description: Code identifying party sending transmission; codes agreed to by trading partners

GS03	124	Application Receiver's Code	M	AN	2/15	Must use
------	-----	------------------------------------	---	----	------	----------

Description: Code identifying party receiving transmission; codes agreed to by trading partners

General Mills Note:

General Mills ID = 6125404455

GS04	373	Date	M	DT	8/8	Must use
------	-----	-------------	---	----	-----	----------

Description: Date expressed as CCYYMMDD

GS05	337	Time	M	TM	4/8	Must use
------	-----	-------------	---	----	-----	----------

Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)

GS06	28	Group Control Number	M	N0	1/9	Must use
------	----	-----------------------------	---	----	-----	----------

Description: Assigned number originated and maintained by the sender

GS07	455	Responsible Agency Code	M	ID	1/2	Must use
------	-----	--------------------------------	---	----	-----	----------

Description: Code identifying the issuer of the standard; this code is used in conjunction with Data Element 480

CodeList Summary (Total Codes: 2, Included: 1)

Code Name

X Accredited Standards Committee X12

GS08	480	Version / Release / Industry Identifier Code	M	AN	1/12	Must use
------	-----	---	---	----	------	----------

Description: Code indicating the version, release, subrelease, and industry identifier of the EDI standard being used, including the GS and GE segments; if code in DE455 in GS segment is X, then in DE 480 positions 1-3 are the version number; positions 4-6 are the release and subrelease, level of the version; and positions 7-12 are the industry or trade association identifiers (optionally assigned by user); if code in DE455 in GS segment is T, then other formats are allowed

CodeList Summary (Total Codes: 39, Included: 1)

Code Name

004010 Draft Standards Approved for Publication by ASC X12 Procedures Review Board through October 1997

Semantics:

1. GS04 is the group date.
2. GS05 is the group time.
3. The data interchange control number GS06 in this header must be identical to the same data element in the associated functional group trailer, GE02.

Comments:

1. A functional group of related transaction sets, within the scope of X12 standards, consists of a collection of similar transaction sets enclosed by a functional group header and a functional group trailer.

ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	Transaction Set Identifier Code	M	ID	3/3	Must use

Description: Code uniquely identifying a Transaction Set

CodeList Summary (Total Codes: 298, Included: 1)

Code Name

210 Motor Carrier Freight Details and Invoice

ST02	329	Transaction Set Control Number	M	AN	4/9	Must use
------	-----	---------------------------------------	---	----	-----	----------

Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set

Semantics:

1. The transaction set identifier (ST01) used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).

B3 Beginning Segment for Carrier's Invoice

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 8

User Option (Usage): Must use

Purpose: To transmit basic data relating to the carrier's invoice

Element Summary:

Ref	Id	Element Name	Req	Type	Min/Max	Usage										
B302	76	Invoice Number	M	AN	1/22	Must use										
<p>Description: Identifying number assigned by issuer</p> <p>General Mills Note: Carrier Invoice Number</p>																
B303	145	Shipment Identification Number	O	AN	1/30	Must use										
<p>Description: Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification; (Does not contain blanks or special characters)</p> <p>General Mills Note: General Mills 10 digit Shipment Number (from B204 element of the EDI 204 Load Tender)</p>																
B304	146	Shipment Method of Payment	M	ID	2/2	Must use										
<p>Description: Code identifying payment terms for transportation charges</p> <p>CodeList Summary (Total Codes: 28, Included: 2)</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>CC</td> <td>Collect</td> </tr> <tr> <td colspan="2">General Mills Note: Signifies GMI <u>Inbound</u> Shipment (from B206 element of the EDI 204 Load Tender)</td> </tr> <tr> <td>PP</td> <td>Prepaid (by Seller)</td> </tr> <tr> <td colspan="2">General Mills Note: Signifies GMI <u>Outbound</u> Shipment (from B206 element of the EDI 204 Load Tender)</td> </tr> </tbody> </table>							Code	Name	CC	Collect	General Mills Note: Signifies GMI <u>Inbound</u> Shipment (from B206 element of the EDI 204 Load Tender)		PP	Prepaid (by Seller)	General Mills Note: Signifies GMI <u>Outbound</u> Shipment (from B206 element of the EDI 204 Load Tender)	
Code	Name															
CC	Collect															
General Mills Note: Signifies GMI <u>Inbound</u> Shipment (from B206 element of the EDI 204 Load Tender)																
PP	Prepaid (by Seller)															
General Mills Note: Signifies GMI <u>Outbound</u> Shipment (from B206 element of the EDI 204 Load Tender)																
B305	188	Weight Unit Code	O	ID	1/1	Used										
<p>Description: Code specifying the weight unit</p> <p>General Mills Note: Send this element <u>only</u> if weight is expressed in Killograms (pounds is assumed)</p> <p>CodeList Summary (Total Codes: 8, Included: 1)</p> <table border="1"> <thead> <tr> <th>Code</th> <th>Name</th> </tr> </thead> <tbody> <tr> <td>K</td> <td>Kilograms</td> </tr> </tbody> </table>							Code	Name	K	Kilograms						
Code	Name															
K	Kilograms															
B306	373	Date	M	DT	8/8	Must use										
<p>Description: Date expressed as CCYYMMDD</p> <p>General Mills Note: Carrier Invoice Creation Date</p>																
B307	193	Net Amount Due	M	N2	1/12	Must use										
<p>Description: Total charges to be paid by the receiver of this transaction set expressed in the standard monetary denomination for the currency specified</p> <p>General Mills Note: Total amount of this transaction (decimal is implied/assumed) Subsequent invoices (populated B308) must include only new/incremental charge amounts.</p>																

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
B308	202	Correction Indicator	O	ID	2/2	Used

Description: Code used to indicate that the transaction set contains information which corrects previous information

General Mills Note:

*A code must be sent here to identify this as a **Subsequent** [to the original] **Invoice**. GMI system reads this element as either empty (Original) or populated (Subsequent).
 One - AND ONLY ONE - Original Invoice is processed per GMI shipment number.
 Subsequent Invoices are processed only after an Original has posted successfully.*

All valid standard codes are used. (Total Codes: 36)

B311	140	Standard Carrier Alpha Code	M	ID	2/4	Must use
------	-----	------------------------------------	---	----	-----	----------

Description: Standard Carrier Alpha Code

General Mills Note:

SCAC of carrier to receive payment (letters must be upper case)

Syntax Rules:

1. P0910 - If either B309 or B310 is present, then the other is required.

Semantics:

1. B306 is the billing date.
2. On collect freight bills the data in B309 will be the actual delivery date. For the shipments invoiced prior to delivery, the B309 will be the estimated date of delivery.
3. If B314 is used, B304 will indicate the party or parties responsible for payment of the transportation terms identified in B314.

C3 Currency

Pos: 040	Max: 1
Heading - Optional	
Loop: N/A	Elements: 1

User Option (Usage): Used

Purpose: To specify the currency being used in the transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
C301	100	Currency Code	M	ID	3/3	Used

Description: Code (Standard ISO) for country in whose currency the charges are specified

Semantics:

1. C301 is the billing currency.
2. C303 is the payment currency.
3. C304 is the rated currency.

Comments:

1. Currency is implied by the code for the country in whose currency the monetary amounts are specified.

General Mills Note:

Send C3 segment *only if invoice is in Canadian Dollars (CAD)*

N9 Reference Identification

Pos: 060	Max: 300
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

CodeList Summary (Total Codes: 1503, Included: 3)

Code Name

- CR Customer Reference Number
- D0 Data Reliability Code
- DO Delivery Order Number

N902	127	Reference Identification	X	AN	1/30	Must use
------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

General Mills Note:

Each Delivery (DO) number relevant to the shipment must be represented in an N9 segment.

If you cannot supply the DO number, then use the CR number.

Please do not send both! DO numbers are always preferred. Only send the CR if you cannot supply the DO.

Only reference numbers associated with qualifiers listed in N901 element are mapped into GMI business system.

G62 Date/Time

Pos: 070	Max: 6
Heading - Optional	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To specify pertinent dates and times

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
G6201	432	Date Qualifier	X	ID	2/2	Must use
Description: Code specifying type of date						
CodeList Summary (Total Codes: 137, Included: 1)						
Code Name						
11 Shipped on This Date						
G6202	373	Date	X	DT	8/8	Must use

Description: Date expressed as CCYYMMDD

General Mills Note:

Ship Date (Date shipment was picked-up/shipped from the initial source location)

Syntax Rules:

1. R0103 - At least one of G6201 or G6203 is required.
2. P0102 - If either G6201 or G6202 is present, then the other is required.
3. P0304 - If either G6203 or G6204 is present, then the other is required.

General Mills Note:

This is NOT an optional segment for General Mills!

*This segment is mandatory for payment processing of **Inbound** shipments.*

Though optional for Outbound shipments, this segment is desirable and beneficial for payment analysis.

It is preferable that ALL EDI 210 Invoices contain this this information.

Loop Name

Pos: 110	Repeat: 10
Optional	
Loop: 0100	Elements: N/A

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
110	N1	Name	O	1		Must use
130	N3	Address Information	O	2		Must use
140	N4	Geographic Location	O	1		Must use

N1 Name

Pos: 110	Max: 1
Heading - Optional	
Loop: 0100	Elements: 2

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

CodeList Summary (Total Codes: 1312, Included: 4)

<u>Code</u>	<u>Name</u>
CN	Consignee
SF	Ship From
SH	Shipper
ST	Ship To

N102	93	Name	X	AN	1/60	Must use
------	----	-------------	---	----	------	----------

Description: Free-form name

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

General Mills Note:

Send one loop (N1-N4) with Shipper (SH or SF) information - indicating initial source location for the load.

Send one loop (N1-N4) with Ship-To (CN or ST) information - indicating final destination of the load.

N3 Address Information

Pos: 130	Max: 2
Heading - Optional	
Loop: 0100	Elements: 1

User Option (Usage): Must use

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use

Description: Address information

N4 Geographic Location

Pos: 140	Max: 1
Heading - Optional	
Loop: 0100	Elements: 3

User Option (Usage): Must use

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Must use
		Description: Free-form text for city name				
N402	156	State or Province Code	O	ID	2/2	Must use
		Description: Code (Standard State/Province) as defined by appropriate government agency				
N403	116	Postal Code	O	ID	3/15	Must use
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				

Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

Loop Equipment Details

Pos: 160	Repeat: 10
Optional	
Loop: 0200	Elements: N/A

User Option (Usage): Used

Purpose: To identify the equipment

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
160	N7	Equipment Details	O	1		Must use
170	M7	Seal Numbers	O	2		Used

N7 Equipment Details

Pos: 160	Max: 1
Heading - Optional	
Loop: 0200	Elements: 3

User Option (Usage): Must use

Purpose: To identify the equipment

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N701	206	Equipment Initial	O	AN	1/4	Must use
<p>Description: Prefix or alphabetic part of an equipment unit's identifying number</p> <p>General Mills Note: <i>Equipment <u>initial</u> from the actual trailer (letters must be upper case)</i> <i>Carrier of Execution (SCAC)</i></p>						
N702	207	Equipment Number	M	AN	1/10	Must use
<p>Description: Sequencing or serial part of an equipment unit's identifying number (pure numeric form for equipment number is preferred)</p> <p>General Mills Note: <i>Equipment <u>number</u> from the actual trailer</i></p>						
N715	567	Equipment Length	O	NO	4/5	Used
<p>Description: Length (in feet and inches) of equipment ordered or used to transport shipment (The format is FFFII where FFF is feet and II is inches; the range for II is 00 through 11)</p> <p>General Mills Note: <i>Format is FFFII where FFF is feet and II is inches (inches expressed as 00 through 11)</i></p>						

Syntax Rules:

1. P0304 - If either N703 or N704 is present, then the other is required.
2. P0516 - If either N705 or N716 is present, then the other is required.
3. P0809 - If either N708 or N709 is present, then the other is required.

Semantics:

1. N712 is the owner of the equipment.
2. N723 is the operator or carrier of the rights of the equipment.

Comments:

1. N701 is mandatory for rail transactions.
2. N720 and N721 are expressed in inches.

M7 Seal Numbers

Pos: 170	Max: 2
Heading - Optional	
Loop: 0200	Elements: 2

User Option (Usage): Used

Purpose: To record seal numbers used and the organization that applied the seals

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
M701	225	Seal Number	M	AN	2/15	Used
		Description: Unique number on seal used to close a shipment				
M702	225	Seal Number	O	AN	2/15	Used
		Description: Unique number on seal used to close a shipment				

Comments:

1. M705 indicates the name of the organization which applied the seal(s).

Loop Stop Off Details

Pos: 010	Repeat: 999
Optional	
Loop: 0300	Elements: N/A

User Option (Usage): Used

Purpose: To specify stop-off detail reference numbers and stop reason

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
010	S5	Stop Off Details	O	1		Used
050		Loop 0310	O		2	Must use

S5 Stop Off Details

Pos: 010	Max: 1
Detail - Optional	
Loop: 0300	Elements: 2

User Option (Usage): Used

Purpose: To specify stop-off detail reference numbers and stop reason

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
S501	165	Stop Sequence Number	M	NO	1/3	Must use

Description: Identifying number for the specific stop and the sequence in which the stop is to be performed

S502	163	Stop Reason Code	M	ID	2/2	Must use
------	-----	-------------------------	---	----	-----	----------

Description: Code specifying the reason for the stop

CodeList Summary (Total Codes: 19, Included: 4)

<u>Code</u>	<u>Name</u>
CL	Complete
CU	Complete Unload
PL	Part Load
PU	Part Unload

Syntax Rules:

1. P0304 - If either S503 or S504 is present, then the other is required.
2. P0506 - If either S505 or S506 is present, then the other is required.
3. P0708 - If either S507 or S508 is present, then the other is required.

Semantics:

1. S509 is the stop reason description.

General Mills Note:

S5 loop is required for each stop of multi-stop shipment, including Origin (PL & CL) and Destination (PU & CU).

Additional unscheduled stops should also be represented by an S5 loop.

S5 loops for single pick-up, single drop shipments are allowed but are NOT required.

Loop Name

Pos: 050 Repeat: 2
 Optional
 Loop: 0310 Elements: N/A

User Option (Usage): Must use

Purpose: To identify a party by type of organization, name, and code

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
050	N1	Name	O	1		Used
070	N3	Address Information	O	2		Used
080	N4	Geographic Location	O	1		Used

N1 Name

Pos: 050	Max: 1
Detail - Optional	
Loop: 0310	Elements: 2

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

CodeList Summary (Total Codes: 1312, Included: 4)

Code Name

- CN Consignee
- SF Ship From
- SH Shipper
- ST Ship To

N102	93	Name	X	AN	1/60	Must use
------	----	-------------	---	----	------	----------

Description: Free-form name

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Comments:

1. This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
2. N105 and N106 further define the type of entity in N101.

General Mills Note:

Name loop (N1-N4) containing address information is required for the related [S5] stop.

N3 Address Information

Pos: 070	Max: 2
Detail - Optional	
Loop: 0310	Elements: 1

User Option (Usage): Used

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use

Description: Address information

N4 Geographic Location

Pos: 080 Max: 1
 Detail - Optional
 Loop: 0310 Elements: 3

User Option (Usage): Used

Purpose: To specify the geographic place of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Must use
Description: Free-form text for city name						
N402	156	State or Province Code	O	ID	2/2	Must use
Description: Code (Standard State/Province) as defined by appropriate government agency						
N403	116	Postal Code	O	ID	3/15	Must use
Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)						

Syntax Rules:

1. C0605 - If N406 is present, then N405 is required.

Comments:

1. A combination of either N401 through N404, or N405 and N406 may be adequate to specify a location.
2. N402 is required only if city name (N401) is in the U.S. or Canada.

Loop Assigned Number

Pos: 120	Repeat: 9999
Optional	
Loop: 0400	Elements: N/A

User Option (Usage): Used

Purpose: To reference a line number in a transaction set

Loop Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Usage</u>
120	LX	Assigned Number	O	1		Must use
130	N9	Reference Identification	O	5		Used
170	L0	Line Item - Quantity and Weight	O	10		Must use
180	L1	Rate and Charges	O	10		Must use

LX Assigned Number

Pos: 120	Max: 1
Detail - Optional	
Loop: 0400	Elements: 1

User Option (Usage): Must use

Purpose: To reference a line number in a transaction set

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LX01	554	Assigned Number	M	NO	1/6	Must use

Description: Number assigned for differentiation within a transaction set

General Mills Note:

*This is NOT an optional loop/segment for General Mills!
All GMI invoices must contain LX loops detailing specific charge information.*

N9 Reference Identification

Pos: 130	Max: 5
Detail - Optional	
Loop: 0400	Elements: 2

User Option (Usage): Used

Purpose: To transmit identifying information as specified by the Reference Identification Qualifier

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N901	128	Reference Identification Qualifier	M	ID	2/3	Must use

Description: Code qualifying the Reference Identification

General Mills Note:

Send only one CR or DO reference ID qualifier (not both) per charge.

CodeList Summary (Total Codes: 1503, Included: 2)

Code Name

CR Customer Reference Number

DO Delivery Order Number

N902	127	Reference Identification	X	AN	1/30	Must use
------	-----	--------------------------	---	----	------	----------

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

Syntax Rules:

1. R0203 - At least one of N902 or N903 is required.
2. C0605 - If N906 is present, then N905 is required.

Semantics:

1. N906 reflects the time zone which the time reflects.
2. N907 contains data relating to the value cited in N902.

General Mills Note:

N9 segment is required for charge codes DTU, DTL, LAY, LYC, LAB. Refer to L108 for code descriptions.

This segment should not be sent with charges other than those listed here.

L0 Line Item - Quantity and Weight

Pos: 170	Max: 10
Detail - Optional	
Loop: 0400	Elements: 3

User Option (Usage): Must use

Purpose: To specify quantity, weight, volume, and type of service for a line item including applicable "quantity/rate-as" data

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L001	213	Lading Line Item Number	O	NO	1/3	Used
Description: Sequential line number for a lading item						
L002	220	Billed/Rated-as Quantity	X	R	1/11	Must use
Description: Basis for rating (miles, value, volume, etc.); Note: Weight may be defined by either data element 220 or 81						
General Mills Note: Must include decimal or be a whole number Indicate "1" when charge is a flat rate (followed by "FR" in the LO03)						
L003	221	Billed/Rated-as Qualifier	X	ID	2/2	Must use
Description: Code identifying the type of quantity or value on which the rate or item pricing is based						
CodeList Summary (Total Codes: 47, Included: 8)						
Code Name						
DM	Miles					
General Mills Note: Use with charges that are rated per mile: DMC, EXM FUE (Be Aware - this can also be flat rate or percent of revenue - check your contract) LINEHAUL (Be Aware - this can also be flat rate or per hundred wt - check your contract)						
FR	Flat Rate					
General Mills Note: Use with Flat Rate charge codes: GST, DSC, PDY, DEL, PAE, PSC, RCC, SUR, SEG, SPT, SOC, IHT, LAB, EAX FUE (Be Aware - this can also be per mile or percent of revenue - check your contract) LINEHAUL (Be Aware - this can also be per mile or per hundred wt - check your contract)						
LB	Pound					
General Mills Note: Use with charges that are rated per hundred weight: LINEHAUL (Be Aware - this can also be flat rate or per mile - check your contract)						
MV	Monetary Value					
General Mills Note: Use with Charges that are a percent of revenue: FUE (Be Aware - this can also be flat rate or per mile - check your contract)						
NP	Piece					
General Mills Note: Use with charge codes that are rated per pallet: PEC						
NU	Unit					
Description: A specific measurement in rating shipments						
General Mills Note: Use with charge codes that are rated per minute:						

Code	Name
	<i>DTL (Be Aware - this can also be per hour - check your contract)</i>
	<i>DTU (Be Aware - this can also be per hour - check your contract)</i>
TD	Days
	General Mills Note:
	<i>Use with charge codes that are rated per day:</i>
	<i>LAY, LYC</i>
	<i>DTV (Canada only charge)</i>
TH	Hours
	General Mills Note:
	<i>Use with charge codes that are rated per hour:</i>
	<i>DTL (Be Aware - this can also be per minute - check your contract)</i>
	<i>DTU (Be Aware - this can also be per minute - check your contract)</i>

Syntax Rules:

1. P0203 - If either L002 or L003 is present, then the other is required.
2. P0405 - If either L004 or L005 is present, then the other is required.
3. P0607 - If either L006 or L007 is present, then the other is required.
4. P0809 - If either L008 or L009 is present, then the other is required.
5. C1104 - If L011 is present, then L004 is required.
6. P1315 - If either L013 or L015 is present, then the other is required.

Semantics:

1. L008 is the number of handling units of the line item tendered to the carrier.
2. L013 can only be used if the code in L009 is PLT, SKD, or SLP.
3. L015 designates whether the carrier will be required to verify the number of units contained on a pallet, slip sheet or skid. Code "Y" indicates that the carrier will be required to verify. Code "N" indicates that the carrier will not be required to verify.

Comments:

1. L013 is used to convey the total number of boxes, cartons, or pieces contained on a pallet, skid, or slip sheet for the line item.

L1 Rate and Charges

Pos: 180	Max: 10
Detail - Optional	
Loop: 0400	Elements: 6

User Option (Usage): Must use

Purpose: To specify rate and charges detail relative to a line item including freight charges, advances, special charges, and entitlements

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L101	213	Lading Line Item Number	O	N0	1/3	Used
		Description: Sequential line number for a lading item				
L102	60	Freight Rate	X	R	1/9	Must use
		Description: Rate that applies to the specific commodity				
		General Mills Note: Must include decimal or be a whole number				
L103	122	Rate/Value Qualifier	X	ID	2/2	Must use

Description: Code qualifying how to extend charges or interpret value

CodeList Summary (Total Codes: 163, Included: 8)

Code Name

- CW Per Hundred Weight
Description: Describes a transportation rate that applies to every one hundred pounds of total weight of an individual shipment
General Mills Note:
Use with charges that are rated per hundred weight:
LINEHAUL (Be Aware - this can also be flat rate or per mile - **check your contract**)
- FR Flat Rate
General Mills Note:
Use with Flat Rate charge codes:
GST, DSC, PDY, DEL, PAE, PSC, RCC, SUR, SEG, SPT, SOC, IHT, LAB, EAX
FUE (Be Aware - this can also be per mile or percent of revenue - **check your contract**)
LINEHAUL (Be Aware - this can also be per mile or per hundred wt - **check your contract**)
- PD Per Day
General Mills Note:
Use with charge codes that are rated per day:
LAY, LYC
DTV (Canada only charge)
- PM Per Mile
General Mills Note:
Use with charges that are rated per mile:
DMC, EXM
FUE (Be Aware - this can also be flat rate or percent of revenue - **check your contract**)
LINEHAUL (Be Aware - this can also be flat rate or per hundred wt - **check your contract**)
- PP Per Piece
General Mills Note:
Use with charge codes that are rated per pallet:
PEC
- PR Per Hour
General Mills Note:

Code Name

*Use with charge codes that are rated per hour:
DTL (Be Aware - this can also be per minute - **check your contract**)
DTU (Be Aware - this can also be per minute - **check your contract**)*

PU Per Unit

General Mills Note:
*Use with charge codes that are rated per minute:
DTL (Be Aware - this can also be per hour - **check your contract**)
DTU (Be Aware - this can also be per hour - **check your contract**)*

PW Percentage of Charges

General Mills Note:
*Use with charges that are a percent of revenue:
FUE (Be Aware - this can also be flat rate or per mile - **check your contract**)*

L104	58	Charge	X	N2	1/12	Must use
------	----	---------------	---	----	------	----------

Description: For a line item: freight or special charge; for the total invoice: the total charges -- expressed in the standard monetary denomination for the currency specified

General Mills Note:
Decimal is implied/assumed

L108	150	Special Charge or Allowance Code	O	ID	3/3	Used
------	-----	---	---	----	-----	------

Description: Code identifying type of special charge or allowance

General Mills Note:
*Linehaul is represented by an empty L108 element.
Linehaul can be Flat Rate or rated Per Mile - Check your contract!
If Per Mile, Number of Miles (LO02) and Rate per Mile (L102) are required.
All other charges must be represented by one of the codes listed below.*

CodeList Summary (Total Codes: 1073, Included: 24)

Code Name

DEL Delivery Charge

General Mills Note:
*Flat Rate Charge.
Do not use this charge code unless specifically instructed to do so by a GMI Freight Auditor.
This charge will require additional documentation.*

DMC Deadhead Mileage Charge

General Mills Note:
*Per Mile Charge.
Number of Miles (LO02) and Rate per Mile (L102) are required.
Do not use this charge code unless specifically instructed to do so by a GMI Freight Auditor.
This charge will require additional documentation.*

DSC Discount

General Mills Note:
Flat Rate Charge.

DTL Detention Loading

General Mills Note:
*Detention at Loading, can be rated Per Minute or Per Hour - Check your contract!
If Per Minute, Number of Minutes (LO02) and Rate per Minute (L102) are required.
If Per Hour, Number of Hours (LO02) and Rate per Hour (L102) are required.
N9 segment also required when billing this charge!*

DTU Detention Unloading

General Mills Note:

Code Name

*Detention at Unloading, can be rated Per Minute or Per Hour - Check your contract!
If per Minute, Number of Minutes (LO02) and Rate per Minute (L102) are required.
If per Hour, Number of Hours (LO02) and Rate per Hour (L102) are required.
N9 segment also required when billing this charge!*

DTV Detention (Vehicle)

Description: Rail charge when rail-owned/leased trailers/containers on flatcar service are detained for loading/unloading

General Mills Note:

Per Day Charge.

Number of Days (LO02) and Rate per Day (L102) are required.

DTV is allowed for Canadian Shipments only. Do not use for US shipments!

Vehicle Detention associated with US shipments must be billed manually.

EAX Extra Axles

Description: The additional service charge or order for a transportation carrier to install and rent an axle with wheels, tires, and brakes required for the transportation of a mobile home

General Mills Note:

Flat Rate Charge.

EAX is allowed for Canadian Shipments only. Do not use for US shipments!

Extra Axles associated with US shipments must be billed manually.

ENS Energy Surcharge (Fuel Adjustment Factor)

EXM Excess Mileage Charge

General Mills Note:

Per Mile Charge.

Number of Miles (LO02) and Rate per Mile (L102) are required.

Do not use this charge code unless specifically instructed to do so by a GMI Freight Auditor.

This charge will require additional documentation.

FUE Fuel Charge

General Mills Note:

Can be Flat Rate, Per Mile, or Percent of Revenue - Check your Contract!

If Per Mile, Number of Miles (LO02) and Rate per Mile (L102) are required.

If Percent of Revenue, Monetary Value (LO02) and Percentage (L102) are required.

GST Goods and Services Tax Charge

General Mills Note:

Flat Rate Charge.

IHT Interstate/Highway Toll

General Mills Note:

Flat Rate Charge.

LAB Extra Labor (Helper Service)

General Mills Note:

Flat Rate Charge.

N9 segment is also required when billing this charge!

LAY Layover Charges

General Mills Note:

Layover at Destination, Per Day Charge.

Number of Days (LO02) and Rate per Day (L102) are required.

N9 segment is also required when billing this charge!

LYC Layover Service Charge

General Mills Note:

Layover at Origin, Per Day Charge.

Number of Days (LO02) and Rate per Day (L102) are required.

<u>Code</u>	<u>Name</u>
	<i>N9 segment is also required when billing this charge!</i>
PAE	Premium Transportation General Mills Note: <i>Flat Rate Charge. Do not use this charge code unless specifically instructed to do so by a GMI Freight Auditor. This charge code will require additional documentation.</i>
PDY	Pickup and Delivery Beyond Service Area Charge General Mills Note: <i>Flat Rate Charge.</i>
PEC	Pallet Exchange Charge General Mills Note: <i>Per Pallet Charge. Number of Pallets (L002) and Rate per Pallet (L102) are required.</i>
PSC	Protective Service - Cold General Mills Note: <i>Flat Rate Charge.</i>
RCC	Reconsignment Charge General Mills Note: <i>Flat Rate Charge.</i>
SEG	Segregating (Sorting) General Mills Note: <i>Flat Rate Charge.</i>
SOC	Stop-off Charge General Mills Note: <i>Flat Rate Charge.</i>
SPT	Spotting of Trailer General Mills Note: <i>Flat Rate Charge.</i>
SUR	Surcharge General Mills Note: <i>Flat Rate Trailer Fuel Surcharge.</i>

L112 276 **Special Charge Description** O AN 2/25 Must use

Description: Identification of special charge; this data element is used whenever an applicable code cannot be found in data element 150

General Mills Note:
*This is NOT an optional element for General Mills!
Free form description of the billed charge.*

Syntax Rules:

1. P0203 - If either L102 or L103 is present, then the other is required.
2. R040506 - At least one of L104, L105 or L106 is required.
3. P1415 - If either L114 or L115 is present, then the other is required.
4. P1718 - If either L117 or L118 is present, then the other is required.

Semantics:

1. L119 is the percent used to determine the charge in L104.
2. L120, if used, indicates the currency for all monetary amounts in this L1 segment.
3. L121 is the origin rated as charge amount.

L3 Total Weight and Charges

Pos: 010	Max: 1
Summary - Optional	
Loop: N/A	Elements: 3

User Option (Usage): Used

Purpose: To specify the total shipment in terms of weight, volume, rates, charges, advances, and prepaid amounts applicable to one or more line items

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
L301	81	Weight	X	R	1/10	Used
Description: Numeric value of weight						
General Mills Note:						
<i>Total weight of shipment</i>						
L302	187	Weight Qualifier	X	ID	1/2	Used
Description: Code defining the type of weight						
CodeList Summary (Total Codes: 51, Included: 1)						
Code Name						
G Gross Weight						
L311	80	Lading Quantity	O	NO	1/7	Used
Description: Number of units (pieces) of the lading commodity						

Syntax Rules:

1. P0102 - If either L301 or L302 is present, then the other is required.
2. P0304 - If either L303 or L304 is present, then the other is required.
3. P0910 - If either L309 or L310 is present, then the other is required.
4. C1201 - If L312 is present, then L301 is required.
5. P1415 - If either L314 or L315 is present, then the other is required.

Semantics:

1. L305 is the total charges.

SE Transaction Set Trailer

Pos: 020	Max: 1
Summary - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	Number of Included Segments	M	NO	1/10	Must use
		Description: Total number of segments included in a transaction set including ST and SE segments				
SE02	329	Transaction Set Control Number	M	AN	4/9	Must use
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

Comments:

- SE is the last segment of each transaction set.

GE Functional Group Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of a functional group and to provide control information

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
GE01	97	Number of Transaction Sets Included	M	N0	1/6	Must use
Description: Total number of transaction sets included in the functional group or interchange (transmission) group terminated by the trailer containing this data element						
GE02	28	Group Control Number	M	N0	1/9	Must use
Description: Assigned number originated and maintained by the sender						

Semantics:

1. The data interchange control number GE02 in this trailer must be identical to the same data element in the associated functional group header, GS06.

Comments:

1. The use of identical data interchange control numbers in the associated functional group header and trailer is designed to maximize functional group integrity. The control number is the same as that used in the corresponding header.

IEA Interchange Control Trailer

Pos:	Max: 1
Not Defined - Mandatory	
Loop: N/A	Elements: 2

User Option (Usage): Must use

Purpose: To define the end of an interchange of zero or more functional groups and interchange-related control segments

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
IEA01	116	Number of Included Functional Groups	M	N0	1/5	Must use
Description: A count of the number of functional groups included in an interchange						
IEA02	112	Interchange Control Number	M	N0	9/9	Must use
Description: A control number assigned by the interchange sender						